

Fiche technique

050PPE13

Plafonnier linéaire fluorescent avec prises VDE, 13W, 240V, 50/60HZ, 420 lm, L 680 mm



Caractéristiques

Portée	Plafonniers avec prises VDE
Composant	Plafonnier linéaire fluorescent, prises VDE, 13W, 240V, 50/60HZ
Code	050PPE13
Désignation des marchandises	Plafonnier linéaire fluorescent avec prises VDE, 13W, 240V, 50/60HZ, 420 lm, L 680 mm
Couleur	Grigio RAL7035
Poids	1184,0
Tarif douanier	85393980
GTIN	8052878049416

Données techniques

Approvals	CE
Compliance with standards	IEC-EN60598-1, IEC-EN60598-2-1
Compliance with standards	IEC-EN62471
Compliance to EMC standards	EN55015, EN61000-3-2, EN61000-3-3, EN61547
Compliance to directives	2014/35/EU, 2014/30/EU, RoHS 2011/65/EU
Operating temperatures	-10° ÷ +50°C
Protection degree	IP20 (IEC-EN60529)
Protection against impact	IK03 (IEC-EN62262)
Housing material	Metal: Aluminum / Thermoplastic: PP Polypropylene
Protection against electric shock	Class I (IEC-EN61140)
Operating voltage tolerance	-20% / +10%
Neon tube electrical life	8.000 hours
Neon tube light intensity	Lumen 200 (8W) - Lumen 420 (13W)
Neon tube type and colour temperature	T5 - 6400K
Rated insulation voltage	Ui 300V - Uimp 2.5KV
On-Off switch	Built-in
Light up possibility	Through door limit switch - 050F02S
Accessory	050S019 Magnetic mounting plate
Spare parts	Neon tube 050TNE8(8W), 050TNE13(13W), 050TNE21(21W)

Lamp wiring	Included. 4m of orange cable 2x1.5 + 1x1.5mm ²
Sockets	type CEE 7/3 - 250V-10A max
Warranty period	18 months

Dessins techniques

