

Scheda Dati

080C0609-5S47

Boîte à boutons polycarbonate 65x94x57 avec 2 bouton-poussoirs affleurants, noir, flèches



Caratteristiche

Portée	Boîtes à boutons complètes 65x65/94 mm
Componente	2 Boutons-poussoirs affleurants, flèches, avec boîte
Code	080C0609-5S47
Désignation des marchandises	Boîte à boutons polycarbonate 65x94x57 avec 2 bouton-poussoirs affleurants, noir, flèches
Couleur	Grigio RAL7035
Peso	190,0
Tariffa doganale	85371098
GTIN	8052878054632

Dati tecnici

Approvals	CE, UL (yellow lid models not included)
UL Approval	Item will be labelled only upon specific request
Compliance with standards	IEC-EN62208
Operating temperatures	-35° ÷ +80°C
Protection degree	IP66 - IP69 - TYPE 4, 4X (IEC-EN60529 - NEMA 250)
Protection against impact	IK08 (IEC-EN62262)
Enclosure material	PC Polycarbonate - glass fiber reinforced
Gasket material	Polyurethane foam
Screw material	PA Black Polyamide - glass fiber reinforced
Tightening torque	0.8 ÷ 1.2Nm (7.1÷10.6 Lb-in)
Protection against electric shock	Class II (IEC-EN61140)
Heavy metal-free	yes
PVC-free	yes
Silicon-free	yes
Halogen-free	yes
Combustion behaviour	5VA (UL50 - UL746C)
Combustion behaviour	V-2 (UL94)
Combustion behaviour	960°(IEC-EN60695-2-11)
Fitted for outdoor application	yes

Warranty period

18 months

Disegni tecnici

